

# Pantograph door 2359.58/59



model	A (mm/ inch)	B (mm/ inch)	C (mm/ inch)	L (mm/ inch)	La (mm/ inch)	Lb (mm/ inch)	H (mm/ inch)	He (mm/ inch)	Sm (mm/ inch)	S (mm/ inch)	St (mm/ inch)	opening	weather proof ISO 12216:2023
2359/58	530 20 <sup>9</sup> / <sub>10</sub>	1765 65 <sup>1</sup> / <sub>2</sub>	565 22 <sup>1</sup> / <sub>4</sub>	585 22 <sup>9</sup> / <sub>10</sub>	590 23 <sup>3</sup> / <sub>10</sub>	625 24 <sup>1</sup> / <sub>2</sub>	1815 71 <sup>1</sup> / <sub>2</sub>	1830 72 <sup>1</sup> / <sub>10</sub>	30 1 <sup>1</sup> / <sub>10</sub>	95 3 <sup>7</sup> / <sub>10</sub>	310 12 <sup>1</sup> / <sub>5</sub>	Sx←Dx	CAT 2
2359/59	530 20 <sup>9</sup> / <sub>10</sub>	1765 65 <sup>1</sup> / <sub>2</sub>	565 22 <sup>1</sup> / <sub>4</sub>	585 22 <sup>9</sup> / <sub>10</sub>	590 23 <sup>3</sup> / <sub>10</sub>	625 24 <sup>1</sup> / <sub>2</sub>	1815 71 <sup>1</sup> / <sub>2</sub>	1830 72 <sup>1</sup> / <sub>10</sub>	30 1 <sup>1</sup> / <sub>10</sub>	95 3 <sup>7</sup> / <sub>10</sub>	310 12 <sup>1</sup> / <sub>5</sub>	Sx→Dx	CAT 2

Semiautomatic pantograph door (wing manual opening and automatic locking systems).  
Closing takes place thanks to four locking pins activated by electric actuators.  
Shaped wing made of aluminium.

CERTIFIABLE BY RINA / BUREAU VERITAS / ABS / LLOYDS, please get in touch with our technical department to verify possible certifications.

The doors are subject to quality control tests to comply ISO 12216.2023 standards

NOTE: Sx→Dx, Sx←Dx

The sliding doors opening direction is always considered from the outside of the boat.

